


# Tonga 2019

# MICS

Multiple Indicator  
Cluster Surveys



## Fact Sheet - Tonga MICS 2019 (Preliminary Results)



Pacific  
Community  
Communauté  
du Pacifique



unicef   
for every child

Tonga Statistics Department and UNICEF MICS Team are happy to release the Fact Sheet (Preliminary Results) from the Tonga MICS conducted in 2019. The Survey Findings Report and Thematic Snapshots will be released soon. Technical support for the survey was provided by the United Nations Children's Fund (UNICEF), United Nations Population Fund (UNFPA) and Pacific Community (SPC).

All results presented in this fact sheet are preliminary. MICS is the largest source of statistically sound and internationally comparable data on women and children worldwide. MICS covers the largest number of Sustainable Development Goals (SDG) indicators among the major international household survey programs.

## Sample and sample characteristics

### Sample and implementation

The sample for the Tonga MICS 2019 was designed to provide estimates for a large number of indicators on the situation of children and women at the national level, for urban and rural areas, and for divisions: Tongatapu, Vava'u, Ha'apai, 'Eua and Ongo Niua. The urban and rural areas were identified as the main sampling strata and the sample of households was selected in two stages. Within each stratum, a specified number of census enumeration areas were selected systematically with probability proportional to size. After a household listing was carried out within the selected enumeration areas, a systematic sample of 20 households was drawn in each sample enumeration area. All of the selected enumeration areas were visited during the fieldwork data collection.

The sampling frame was based on the 2016 Tonga Census of Population and Housing. It was calculated that 139 sample clusters would need to be selected in total. As the sample is not self-weighting, sample weights are used for reporting survey results.

### Survey sample

|                            |       |                                  |       |
|----------------------------|-------|----------------------------------|-------|
| Households                 |       | Children under five              |       |
| - Sampled                  | 2,751 | - Eligible                       | 1,378 |
| - Occupied                 | 2,543 | - Mothers/caretakers interviewed | 1,347 |
| - Interviewed              | 2,498 | - Response rate (Per cent)       | 97.8  |
| - Response rate (Per cent) | 98.2  |                                  |       |
| Women (age 15-49)          |       | Children age 5-17                |       |
| - Eligible for interviews  | 3,157 | - Eligible                       | 1,664 |
| - Interviewed              | 2,903 | - Mothers/caretakers interviewed | 1,628 |
| - Response rate (Per cent) | 92.0  | - Response rate (Per cent)       | 97.8  |
| Men (age 15-49)            |       | Water Quality Testing            |       |
| - Eligible for interviews  | 1,453 | - Eligible                       | 628   |
| - Interviewed              | 1,232 | - Interviewed                    | 613   |
| - Response rate (Per cent) | 84.8  | - Response rate (Per cent)       | 97.6  |

### Survey population

|  |      |   |      |
|--|------|---|------|
| Average household size   | 5.3  | <b>Percentage of population living in</b> |      |
| <b>Percentage of population under:</b>   |      | - Urban areas                             | 23.1 |
| - Age 5  | 10.3 | - Rural areas                             | 76.9 |
| - Age 18   | 41.1 | <b>Divisions:</b>                         |      |
| Percentage of women age 15-49 years with at least one live birth in the last 2 years | 14.5 | - Tongatapu                               | 70.5 |
|  |      | - Vava'u                                  | 15.7 |
|  |      | - Ha'apai                                 | 7.1  |
|  |      | - 'Eua                                    | 5.4  |
|  |      | - Ongo Niua                               | 1.2  |

## MICS6 Indicators and definitions – by topics

This Fact Sheet presents the indicators of the 2019 Tonga MICS.

|                |  |
|----------------|--|
| <b>Page 4</b>  | Section on “Household characteristics” presents 13 MICS indicators (out of which 4 are SDG indicators) on access to electricity, media and internet and ownership of and use of telephones in the households.  |
| <b>Page 6</b>  | “Use of tobacco and alcohol” presents 9 MICS indicators (2 are SDG indicators) on use of tobacco products and alcohol.<br>Indicators on children living without one or both parents is also presented in this fact sheet as “ Living arrangements”                     |
| <b>Page 7</b>  | “Child mortality” section includes 5 MICS indicators (2 SDG indicators) on mortality of children under-5 years of age.   |
| <b>Page 8</b>  | “Maternal health” presents 20 MICS indicators (4 SDG indicators) on fertility, early childbearing, contraception, unmet need, antenatal care, neonatal tetanus, delivery care, birthweight and post-natal care.  |
| <b>Page 9</b>  | “Reproductive and sexual behavior” section presents 17 MICS indicators on sexual behavior of women and men age 15 to 49 years of age, as well as knowledge on HIV and self reporting on STIs.  |
| <b>Page 11</b> | “Child health – immunization and seeking care for illness” presents 17 MICS indicators (4 of them are SDG indicators) on immunisation, disease episodes, diarrhoea, household energy use and symptoms of acute respiratory infection.                                  |
| <b>Page 12</b> | “Child nutrition and development” section presents 24 MICS indicators (4 are SDG indicators as well) on infant and young child feeding, malnutrition, salt iodisation and early childhood development.   |
| <b>Page 14</b> | “Learn” with 22 MICS indicators (3 SDG indicators) presents data on early childhood education, educational attendance, paternal involvement in children’s education and foundational learning skills.  |
| <b>Page 17</b> | “Protected from violence and exploitation” section includes 11 MICS indicators (6 of them are SDG indicators as well) on birth registration, child discipline, child labour, child marriage, victimisation, feelings of safety and attitudes toward domestic violence. |
| <b>Page 18</b> | “Domestic Violence” presents 13 country specific indicators on domestic violence for which information is obtained from women on their experience of violence committed by various perpetrators.   |
| <b>Page 20</b> | “Live in a safe and clean environment”, covers the 13 MICS indicators (4 of which are SDG indicators) on drinking water, handwashing, sanitation, and menstrual hygiene.   |
| <b>Page 21</b> | “Equitable chance in life”, is the final section, presenting 10 MICS indicators (3 out which are SDG indicators as well) on a range of equity related topics, including child functioning, social transfers, discrimination and harassment, and subjective well-being. |

## Household characteristics

| MICS INDICATOR   |                                 | SDG <sup>2</sup> | Definition <sup>3,4</sup>   | Value |
|--|---------------------------------|------------------|---|-------|
| <b>ACCESS TO MEDIA AND INTERNET<br/>(SAMPLE COVERAGE AND CHARACTERISTICS OF THE RESPONDENTS)</b> |                                 |                  |   |       |
| SR.1   | Access to electricity           | 7.1.1            | Percentage of household members with access to electricity  | 98.4  |
| SR.2   | Literacy rate (age 15-24 years) |                  | Percentage of women and men age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education |       |
|  |                                 |                  | Women   | 99.7  |
|  |                                 |                  | Men   | 99.4  |
| SR.3   | Exposure to mass media          |                  | Percentage of women and men age 15-49 years who, at least once a week, read a newspaper or magazine, listen to the radio, and watch television              |       |
|  |                                 |                  | Women   | 14.3  |
|  |                                 |                  | Men   | 20.5  |
| SR.4   | Households with a radio         |                  | Percentage of households that have a radio  | 72.7  |
| SR.5   | Households with a television    |                  | Percentage of households that have a television   | 69.6  |
| SR.6   | Households with a telephone     |                  | Percentage of households that have a telephone (fixed line or mobile phone)   | 98.3  |
| SR.7   | Households with a computer      |                  | Percentage of households that have a computer   | 49.2  |
| SR.8   | Households with internet        |                  | Percentage of households that have access to the internet by any device from home   | 85.1  |
| SR.9   | Use of computer                 |                  | Percentage of women and men age 15-49 years who used a computer during the last 3 months  |       |
|  |                                 |                  | Women   | 45.6  |
|  |                                 |                  | Men   | 28.3  |
| SR.10  | Ownership of mobile phone       | 5.b.1            | Percentage of women and men age 15-49 years who own a mobile phone  |       |
|  |                                 |                  | Women   | 84.4  |
|  |                                 |                  | Men   | 88.3  |
| SR.11  | Use of mobile phone             |                  | Percentage of women and men age 15-49 years who used a mobile telephone during the last 3 months  |       |
|  |                                 |                  | Women   | 91.4  |
|  |                                 |                  | Men   | 91.7  |

[2] Sustainable Development Goal (SDG) Indicators, <http://unstats.un.org/sdgs/indicators/indicators-list/>. The Inter-agency Working Group on SDG Indicators is continuously updating the metadata of many SDG indicators and changes are being made to the list of SDG indicators. MICS covers many SDG indicators with an exact match of their definitions, while some indicators are only partially covered by MICS. The latter cases are included here as long as the current international methodology allows for only the way that the MICS indicator is defined, and/or a significant part of the SDG indicator can be generated by the MICS indicator. For more information on the metadata of the SDG indicators, see <http://unstats.un.org/sdgs/metadata/>.

[3] Some indicators are constructed by using questions in several modules in the MICS questionnaires. In such cases, only the module(s) which contains most of the necessary information is indicated.

[4] All MICS indicators are or can be disaggregated, where relevant, by wealth quintiles, sex, age, ethnicity, migratory status, disability and geographic location (as per the reporting domains), or other characteristics, as recommended by the Inter-agency Expert Group on SDG Indicators: <http://unstats.un.org/sdgs/indicators/Official%20List%20of%20Proposed%20SDG%20Indicators.pdf>

## Household characteristics

| MICS INDICATOR  |                 | SDG    | Definition  | Value                        |
|---|-----------------|--------|---|------------------------------|
| <b>SAMPLE COVERAGE AND CHARACTERISTICS OF THE RESPONDENTS</b> |                 |        |   |                              |
| SR.12a<br>SR.12b  | Use of internet | 17.8.1 | Percentage of women and men age 15-49 years who used the internet<br>Women<br>(a) during the last 3 months<br>(b) at least once a week during the last 3 months<br>Men<br>(a) during the last 3 months<br>(b) at least once a week during the last 3 months | 78.2<br>69.2<br>86.6<br>79.3 |
| SR.13a<br>SR.13b  | ICT skills      | 4.4.1  | Percentage of women and men who have carried out at least one of nine specific computer related activities during the last 3 months<br>Women<br>(a) age 15-24<br>(b) age 15-49<br>Men<br>(a) age 15-24<br>(b) age 15-49                                     | 51.7<br>39.6<br>24.8<br>25.4 |

## Use of tobacco and alcohol Living arrangements

| MICS INDICATOR   | SDG  | Definition | Value  |              |
|--|--|------------|--|--------------|
| <b>USE OF TOBACCO AND ALCOHOL<br/>(SAMPLE COVERAGE AND CHARACTERISTICS OF THE RESPONDENTS)</b> |  |            |  |              |
| SR.14a   | Use of tobacco   | 3.a.1      | Percentage of women and men age 15-49 years who smoked cigarettes or used smoked or smokeless tobacco products at any time during the last one month<br>Women<br>Men | 16.1<br>52.9 |
| SR.14b   | Non-smokers  | 3.8.1      | Percentage of women and men age 15-49 years who did not smoke cigarettes or any other smoked tobacco product during the last one month<br>Women<br>Men               | 83.4<br>46.3 |
| SR.15  | Smoking before age 15  |            | Percentage of women and men age 15-49 years who smoked a whole cigarette before age 15<br>Women<br>Men   | 3.3<br>20.1  |
| SR.16  | Use of alcohol   |            | Percentage of women and men age 15-49 years who had at least one alcoholic drink at any time during the last one month<br>Women<br>Men                               | 10.9<br>38.9 |
| SR.17  | Use of alcohol before age 15                                 |            | Percentage of women and men age 15-49 years who had at least one alcoholic drink before age 15<br>Women<br>Men   | 1.2<br>9.6   |
| SR.18  | Children's living arrangements                               |            | Percentage of children age 0-17 years living with neither biological parent  | 13.8         |
| SR.19  | Prevalence of children with one or both parents dead         |            | Percentage of children age 0-17 years with one or both biological parents dead   | 5.4          |
| SR.20  | Children with at least one parent living abroad              |            | Percentage of children age 0-17 years with at least one biological parent living abroad  | 10.2         |
| SR.20s   | Children with at least one parent living in the outer island |            | Percentage of children age 0-17 years with at least one biological parent living in the outer island   | 10.6         |

## Child mortality

| MICS INDICATOR             |                              | SDG   | Definition  | Value |
|----------------------------|------------------------------|-------|---|-------|
| <b>SURVIVE<sup>5</sup></b> |                              |       |   |       |
| CS.1                       | Neonatal mortality rate      | 3.2.2 | Probability of dying within the first month of life (per 1,000 live births)               | 7     |
| CS.2                       | Post-neonatal mortality rate |       | Difference between infant and neonatal mortality rates (per 1,000 live births)            | 8     |
| CS.3                       | Infant mortality rate        |       | Probability of dying between birth and the first birthday (per 1,000 live births)         | 15    |
| CS.4                       | Child mortality rate         |       | Probability of dying between the first and the fifth birthdays (per 1,000 children age 1) | 1     |
| CS.5                       | Under-five mortality rate    | 3.2.1 | Probability of dying between birth and the fifth birthday (per 1,000 live births)         | 16    |

[5] Mortality indicators are calculated for the last 5-year period.

## Maternal health

| MICS INDICATOR                                   |  | SDG <sup>1</sup> | Description <sup>3</sup>   | Value                |
|--|--|------------------|--|----------------------|
| <b>THRIVE - REPRODUCTIVE AND MATERNAL HEALTH</b> |  |                  |  |                      |
| TM.1   | Adolescent birth rate  | 3.7.2            | Age-specific fertility rate for women age 15-19 years  | 32.0                 |
| TM.2   | Early childbearing   |                  | Percentage of women age 20-24 years who have had a live birth before age 18  | 3.2                  |
| TM.3   | Contraceptive prevalence rate                                |                  | Percentage of women age 15-49 years currently married or in union who are using (or whose partner is using) a (modern or traditional) contraceptive method   | 29.3                 |
| TM.4   | Need for family planning satisfied with modern contraception | 3.7.1 & 3.8.1    | Percentage of women age 15-49 years currently married or in union who have their need for family planning satisfied with modern contraceptive methods  | 49.3                 |
| TM.5a<br>TM.5b<br>TM.5c                          | Antenatal care coverage                                      | 3.8.1            | Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth were attended<br>(a) at least once by skilled health personnel<br>(b) at least four times by any provider<br>(c) at least eight times by any provider                       | 97.7<br>88.5<br>40.0 |
| TM.6   | Content of antenatal care                                    |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth, at least once, had blood pressure measured and gave urine and blood samples as part of antenatal care  | 61.7                 |
| TM.7   | Neonatal tetanus protection                                  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth were given at least two doses of tetanus toxoid containing vaccine or had received the appropriate number of doses with appropriate interval prior to the most recent birth | 35.4                 |
| TM.8   | Institutional deliveries                                     |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered in a health facility  | 97.6                 |
| TM.9   | Skilled attendant at delivery                                | 3.1.2            | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was attended by skilled health personnel  | 98.3                 |
| TM.10  | Caesarean section  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered by caesarean section  | 13.6                 |
| TM.11  | Children weighed at birth                                    |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was weighed at birth   | 97.1                 |
| TM.12  | Post-partum stay in health facility                          |                  | Percentage of women age 15-49 years with a live birth in the last 2 years and delivered the most recent live birth in a health facility who stayed in the health facility for 12 hours or more after the delivery  | 90.8                 |
| TM.13  | Post-natal health check for the newborn                      |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery   | 98.0                 |
| TM.14  | Newborns dried   |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was dried after birth  | 58.5                 |
| TM.15  | Skin-to-skin care  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was placed on the mother's bare chest after birth  | 47.0                 |
| TM.16  | Delayed bathing  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was first bathed more than 24 hours after birth  | 15.1                 |
| TM.17  | Cord cut with clean instrument                               |                  | Percentage of women age 15-49 years with a live birth in the last 2 years and delivered the most recent live-born child outside a facility whose umbilical cord was cut with a new blade or boiled instrument  | 12.9                 |
| TM.18  | Nothing harmful applied to cord                              |                  | Percentage of women age 15-49 years with a live birth in the last 2 years and delivered the most recent live-born child outside a facility who had nothing harmful applied to the cord   | 94.5                 |
| TM.19  | Post-natal signal care functions <sup>6</sup>                |                  | Percentage of women age 15-49 years with a live birth in the last 2 years for whom the most recent live-born child received a least 2 post-natal signal care functions within 2 days of birth  | 95.8                 |
| TM.20  | Post-natal health check for the mother                       |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery of their most recent live birth   | 94.6                 |

[6] Signal functions are 1) Checking the cord, 2) Counseling on danger signs, 3) Assessing temperature, 4) Observing/counseling on breastfeeding, and 5) Weighing the baby (where applicable)..

## Reproductive and sexual behaviour

| MICS INDICATOR                                   | SDG <sup>1</sup> | Description <sup>3</sup>  | Value        |
|--|------------------|---|--------------|
| <b>THRIVE - REPRODUCTIVE AND MATERNAL HEALTH</b> |                  |   |              |
| TM.20  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery of their most recent live birth  | 94.6         |
| TM.22  |                  | Percentage of women and men age 15-49 years who had sex with more than one partner in the last 12 months<br>Women<br>Men  | 0.8<br>3.3   |
| TM.23  |                  | Percentage of women and men age 15-49 years reporting having had more than one sexual partner in the last 12 months who reported that a condom was used the last time they had sex<br>Women<br>Men  | 10.1<br>12.3 |
| TM.24  |                  | Percentage of women and men age 15-24 years who had sex before age 15<br>Women<br>Men   | 0.6<br>0.6   |
| TM.25  |                  | Percentage of never married women and men age 15-24 years who have never had sex<br>Women<br>Men  | 92.8<br>77.6 |
| TM.26  |                  | Percentage of women age 15-24 years reporting having had sex in the last 12 months who had a partner 10 or more years older   | 9.6          |
| TM.27  |                  | Percentage of women and men age 15-24 years reporting having had sex in the last 12 months who had a non-marital, non-cohabitating partner<br>Women<br>Men  | 24.9<br>70.6 |
| TM.28  |                  | Percentage of women and men age 15-24 years reporting having had sex in the last 12 months with a non-marital, non-cohabiting partner who reported that a condom was used the last time they had sex<br>Women<br>Men  | 14.7<br>25.4 |
| TM.29  |                  | Percentage of women and men age 15-24 years who correctly identify the two ways of preventing the sexual transmission of HIV <sup>7</sup> , who know that a healthy-looking person can be HIV-positive and who reject the two most common misconceptions about HIV transmission<br>Women<br>Men | 5.6<br>10.1  |

## Reproductive and sexual behaviour

| MICS INDICATOR                                   | SDG <sup>1</sup> | Description <sup>3</sup>  | Value                            |
|--|------------------|---|----------------------------------|
| <b>THRIVE - REPRODUCTIVE AND MATERNAL HEALTH</b> |                  |   |                                  |
| TM.30  |                  | Percentage of women and men age 15-49 years who correctly identify all three means <sup>8</sup> of mother-to-child transmission of HIV<br>Women<br>Men  | 38.1<br>34.5                     |
| TM.31  |                  | Percentage of women and men age 15-49 years reporting having heard of HIV who report discriminatory attitudes <sup>9</sup> toward people living with HIV<br>Women<br>Men  | 90.4<br>87.3                     |
| TM.32  |                  | Percentage of women and men age 15-49 years who state knowledge of a place to be tested for HIV<br>Women<br>Men   | 50.3<br>56.2                     |
| TM.33  |                  | Percentage of women and men age 15-49 years who report having been tested for HIV in the last 12 months and know their results<br>Women<br>Men  | 3.4<br>3.6                       |
| TM.34  |                  | Percentage of women and men age 15-24 years reporting having had sex in the last 12 months, who have been tested for HIV in the last 12 months and know their results<br>Women<br>Men   | 8.2<br>3.7                       |
| TM.35a<br>TM.35b                                 |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who received antenatal care at least once by skilled health personnel during the pregnancy of the most recent live birth and during an ANC visit received<br>(a) counselling on HIV <sup>10</sup><br>(b) information or counselling on HIV after receiving the HIV test results | 31.5<br>15.2                     |
| TM.36  |                  | Percentage of women age 15-49 years with a live birth in the last 2 years who received antenatal care at least once by skilled health personnel during the pregnancy of the most recent live birth and during an ANC visit were offered and accepted an HIV test and received test results  | 19.7                             |
| TM.37  |                  | Percentage reporting having STI and/or symptoms of a STI in the past 12 months, among women and men age 15-49<br>Women<br>(a) STI<br>(b) Bad-smelling/abnormal genital discharge<br>(c) Genital sore or ulcer<br>(d) STI/genital discharge/ sore or ulcer<br>Men<br>a) STI  | 1.0<br>9.3<br>1.6<br>10.8<br>0.7 |

[7] Using condoms and limiting sex to one faithful, uninfected partner

[8] Transmission during pregnancy, during delivery, and by breastfeeding

[9] Respondents who answered no to either of the following two questions: 1) Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV? 2) Do you think children living with HIV should be able to attend school with children who are HIV negative?

[10] Someone talked with the respondent about all three of the following topics: 1) Babies getting the HIV from their mother, 2) preventing HIV and 3) getting tested for HIV

## Child health, immunization and seeking care for illness

| MICS INDICATOR  |  | SDG <sup>1</sup> | Description <sup>3</sup>  | Value |
|---|--|------------------|---|-------|
| <b>THRIVE - CHILD HEALTH, NUTRITION AND DEVELOPMENT</b> |  |                  |   |       |
| TC.1  | Tuberculosis immunization coverage   |                  | Percentage of children age 12-23 months who received BCG containing vaccine at any time before the survey   | 98.0  |
| TC.2  | Polio immunization coverage  |                  | Percentage of children age 12-23 months who received at least one dose of Inactivated Polio Vaccine (IPV) and the third/fourth dose of either IPV or Oral Polio Vaccine (OPV) vaccines at any time before the survey              | 90.7  |
| TC.3  | Diphtheria, tetanus and pertussis (DTP) immunization coverage                            | 3.b.1 & 3.8.1    | Percentage of children age 12-23 months who received the third dose of DTP containing vaccine (DTP3) at any time before the survey  | 93.5  |
| TC.4  | Hepatitis B immunization coverage  |                  | Percentage of children age 12-23 months who received the third/fourth dose of Hepatitis B containing vaccine (HepB3) at any time before the survey  | 93.5  |
| TC.5  | Haemophilus influenzae type B (Hib) immunization coverage                                |                  | Percentage of children age 12-23 months who received the third dose of Hib containing vaccine (Hib3) at any time before the survey  | 93.5  |
| TC.8  | Rubella immunization coverage  |                  | Percentage of children age 12-23/24-35 months who received rubella containing vaccine at any time before the survey   | 88.0  |
| TC.10   | Measles immunization coverage  | 3.b.1            | Percentage of children age 24-35 months who received the second measles containing vaccine at any time before the survey  | 80.8  |
| TC.11a  | Full immunization coverage <sup>41</sup>   |                  | a) 12-23 months had received all basic vaccinations at any time before the survey   | 93.5  |
| TC.11b  |  |                  | b) 24-35 months had received all vaccinations recommended in the national immunization schedule   | 77.4  |
| TC.12   | Care-seeking for diarrhoea   |                  | Percentage of children under age 5 with diarrhoea in the last 2 weeks for whom advice or treatment was sought from a health facility or provider  | 83.9  |
| TC.13a  | Diarrhoea treatment with oral rehydration salt solution (ORS) and zinc                   |                  | a) ORS  | 63.0  |
| TC.13b  |  |                  | b) ORS and zinc   | 2.6   |
| TC.14   | Diarrhoea treatment with oral rehydration therapy (ORT) and continued feeding            |                  | Percentage of children under age 5 with diarrhoea in the last 2 weeks who received ORT (ORS packet, pre-packaged ORS fluid, recommended homemade fluid or increased fluids) and continued feeding during the episode of diarrhoea | 66.6  |
| TC.15   | Primary reliance on clean fuels and technologies for cooking                             |                  | Percentage of household members with primary reliance on clean fuels and technologies for cooking (living in households that reported cooking)  | 84.2  |
| TC.17   | Primary reliance on clean fuels and technologies for lighting                            |                  | Percentage of household members with primary reliance on clean fuels and technologies for lighting (living in households that reported the use of lighting)   | 99.0  |
| TC.18   | Primary reliance on clean fuels and technologies for cooking, space heating and lighting | 7.1.2            | Percentage of household members with primary reliance on clean fuels and technologies for cooking and lighting <sup>12</sup>  | 83.7  |
| TC.19   | Care-seeking for children with acute respiratory infection (ARI) symptoms                | 3.8.1            | Percentage of children under age 5 with ARI symptoms in the last 2 weeks for whom advice or treatment was sought from a health facility or provider   | 90.9  |
| TC.20   | Antibiotic treatment for children with ARI symptoms                                      |                  | Percentage of children under age 5 with ARI symptoms in the last 2 weeks who received antibiotics   | 36.5  |
| TC.26   | Care-seeking for fever   |                  | Percentage of children under age 5 with fever in the last 2 weeks for whom advice or treatment was sought from a health facility or provider  | 81.6  |

[11] Basic vaccinations include: BCG, 3 doses of polio, 3 doses of DTP and 1 dose of measles vaccination. All vaccinations include all doses of vaccinations recommended for children under age 2 years in the national schedule.[8] Transmission during pregnancy, during delivery, and by breastfeeding

[12] Household members living in households that report no cooking, no space heating, or no lighting are not excluded from the numerator

## Child nutrition and development

| MICS INDICATOR  |   | SDG <sup>1</sup> | Description <sup>3</sup>   | Value        |
|---|---|------------------|--|--------------|
| <b>THRIVE - CHILD HEALTH, NUTRITION AND DEVELOPMENT</b> |   |                  |  |              |
| TC.30   | Children ever breastfed                           |                  | Percentage of most recent live-born children to women with a live birth in the last 2 years who were ever breastfed  | 91.5         |
| TC.31   | Early initiation of breastfeeding                 |                  | Percentage of most recent live-born children to women with a live birth in the last 2 years who were put to the breast within one hour of birth  | 38.5         |
| TC.32   | Exclusive breastfeeding under 6 months            |                  | Percentage of infants under 6 months of age who are exclusively breastfed <sup>13</sup>  | 39.6         |
| TC.33   | Predominant breastfeeding under 6 months          |                  | Percentage of infants under 6 months of age who received breast milk as the predominant source of nourishment <sup>14</sup> during the previous day  | 45.0         |
| TC.34   | Continued breastfeeding at 1 year                 |                  | Percentage of children age 12-15 months who received breast milk during the previous day   | 52.6         |
| TC.35   | Continued breastfeeding at 2 years                |                  | Percentage of children age 20-23 months who received breast milk during the previous day   | 32.8         |
| TC.36   | Duration of breastfeeding                         |                  | The age in months when 50 percent of children age 0-35 months did not receive breast milk during the previous day  | 13.3         |
| TC.37   | Age-appropriate breastfeeding                     |                  | Percentage of children age 0-23 months appropriately fed <sup>15</sup> during the previous day   | 40.6         |
| TC.38   | Introduction of solid, semi-solid or soft foods   |                  | Percentage of infants age 6-8 months who received solid, semi-solid or soft foods during the previous day  | 90.6         |
| TC.39a<br>TC.39b  | Minimum acceptable diet                           |                  | Percentage of children age 6-23 months who had at least the minimum dietary diversity and the minimum meal frequency during the previous day<br>(a) breastfed children<br>(b) non-breastfed children             | 24.3<br>29.6 |
| TC.40   | Milk feeding frequency for non-breastfed children |                  | Percentage of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous day   | 58.0         |
| TC.41   | Minimum dietary diversity                         |                  | Percentage of children age 6-23 months who received foods from 5 or more food groups <sup>16</sup> during the previous day   | 53.5         |
| TC.42   | Minimum meal frequency                            |                  | Percentage of children age 6-23 months who received solid, semi-solid and soft foods (plus milk feeds for non-breastfed children) the minimum number of times <sup>17</sup> or more during the previous day      | 51.2         |
| TC.43   | Bottle feeding                                    |                  | Percentage of children age 0-23 months who were fed with a bottle during the previous day  | 64.8         |
| TC.44a<br>TC.44b  | Underweight prevalence                            |                  | Percentage of children under age 5 who fall below<br>(a) minus two standard deviations (moderate and severe)<br>(b) minus three standard deviations (severe)<br>of the median weight for age of the WHO standard | 0.8<br>0.3   |

[13] Infants receiving breast milk, and not receiving any other fluids or foods, oral rehydration solution, vitamins, mineral supplements and medicines

[14] Infants who receive breast milk and certain fluids (water and water-based drinks, fruit juice, ritual fluids, oral rehydration solution, drops, vitamins, minerals, and medicines), but do not receive anything else (in particular, non-human milk and food-based fluids)

[15] Infants age 0-5 months who are exclusively breastfed, and children age 6-23 months who are breastfed and ate solid, semi-solid or soft foods

[16] The indicator is based on consumption of any amount of food from at least 5 out of the 8 following food groups: 1) breastmilk, 2) grains, roots and tubers, 3) legumes and nuts, 4) dairy products (milk, infant formula, yogurt, cheese), 5) flesh foods (meat, fish, poultry and liver/organ meats), 6) eggs, 7) vitamin-A rich fruits and vegetables, and 8) other fruits and vegetables

[17] Breastfeeding children: Solid, semi-solid, or soft foods, two times for infants age 6-8 months, and three times for children 9-23 months; Non-breastfeeding children: Solid, semi-solid, or soft foods, or milk feeds, four times for children age 6-23 months

## Child nutrition and development

| MICS INDICATOR  |                                       | SDG <sup>1</sup> | Description <sup>3</sup>   | Value                |
|---|---------------------------------------|------------------|--|----------------------|
| <b>THRIVE - CHILD HEALTH, NUTRITION AND DEVELOPMENT</b> |                                       |                  |  |                      |
| TC.45a<br>TC.45b  | Stunting prevalence                   | 2.2.1            | Percentage of children under age 5 who fall below<br>(a) minus two standard deviations (moderate and severe)<br>(b) below minus three standard deviations (severe)<br>of the median height for age of the WHO standard | 2.2<br>1.0           |
| TC.46a<br>TC.46b  | Wasting prevalence                    | 2.2.2            | Percentage of children under age 5 who fall below<br>(a) minus two standard deviations (moderate and severe)<br>(b) minus three standard deviations (severe)<br>of the median weight for height of the WHO standard    | 1.1<br>0.4           |
| TC.47a<br>TC.47b  | Overweight prevalence                 | 2.2.2            | Percentage of children under age 5 who are above<br>(a) two standard deviations (moderate and severe)<br>(b) three standard deviations (severe)<br>of the median weight for height of the WHO standard                 | 11.2<br>3.1          |
| TC.48   | Iodized salt consumption              |                  | Percentage of households with salt testing positive for any iodide/iodate among households in which salt was tested or where there was no salt   | 52.9                 |
| TC.49a<br>TC.49b<br>TC.49c                              | Early stimulation and responsive care |                  | Percentage of children age 24-59 months engaged in four or more activities to provide early stimulation and responsive care in the last 3 days with<br>(a) Any adult household member<br>(b) Father<br>(c) Mother      | 87.9<br>26.5<br>66.7 |
| TC.50   | Availability of children's books      |                  | Percentage of children under age 5 who have three or more children's books   | 24.4                 |
| TC.51   | Availability of playthings            |                  | Percentage of children under age 5 who play with two or more types of playthings   | 62.9                 |
| TC.52   | Inadequate supervision                |                  | Percentage of children under age 5 left alone or under the supervision of another child younger than 10 years of age for more than one hour at least once in the last week   | 8.6                  |
| TC.53   | Early child development index         | 4.2.1            | Percentage of children age 36-59 months who are developmentally on track in at least three of the following four domains: literacy-numeracy, physical, social-emotional, and learning                                  | 78.6                 |

## Learn : School attendance

| MICS INDICATOR          |   | SDG <sup>1</sup> | Description <sup>3</sup>   | Value                |
|-------------------------|---|------------------|--|----------------------|
| <b>LEARN</b>            |   |                  |  |                      |
| LN.1                    | Attendance to early childhood education             |                  | Percentage of children age 36-59 months who are attending an early childhood education programme   | 35.3                 |
| LN.2                    | Participation rate in organised learning (adjusted) | 4.2.2            | Percentage of children in the relevant age group (one year before the official primary school entry age) who are attending an early childhood education programme or primary school  | 96.7                 |
| LN.3                    | School readiness                                    |                  | Percentage of children attending the first grade of primary school who attended early childhood education programme during the previous school year  | 48.8                 |
| LN.4                    | Net intake rate in primary education                |                  | Percentage of children of school-entry age who enter the first grade of primary school   | 78.5                 |
| LN.5a<br>LN.5b<br>LN.5c | Net attendance ratio (adjusted)                     |                  | Percentage of children of<br>(a) primary school age currently attending primary or secondary school<br>(b) lower secondary school age currently attending lower secondary school or higher<br>(c) upper secondary school age currently attending upper secondary school or higher  | 96.4<br>89.3<br>64.5 |
| LN.6a<br>LN.6b<br>LN.6c | Out-of-school rate                                  |                  | Percentage of children of<br>(a) primary school age who are not attending early childhood education, primary or lower secondary school<br>(b) lower secondary school age who are not attending primary school, lower or upper secondary school or higher<br>(c) upper secondary school age who are not attending primary school, lower or upper secondary school or higher | 3.5<br>7.8<br>32.1   |
| LN.7a<br>LN.7b          | Gross intake rate to the last grade                 |                  | Rate of children attending the last grade for the first time to children at appropriate age to the last grade<br>Primary school<br>Lower secondary school  | 106.5<br>94.3        |
| LN.8a<br>LN.8b<br>LN.8c | Completion rate                                     | 4.1.2            | Percentage of children age 3-5 years above the intended age for the last grade who have completed that grade<br>(a) Primary school<br>(b) Lower secondary school<br>(c) Upper secondary school   | 98.2<br>91.9<br>44.1 |
| LN.9                    | Effective transition rate to lower secondary school |                  | Percentage of children attending the last grade of primary school during the previous school year who are not repeating the last grade of primary school and in the first grade of lower secondary school during the current school year   | 96.8                 |
| LN.10a<br>LN.10b        | Over-age for grade                                  |                  | Percentage of students attending in each grade who are 2 or more years older than the official school age for grade<br>(a) Primary school<br>(b) Lower secondary school  | 0.2<br>0.4           |

## Learn : Education Parity Indices

| MICS INDICATOR  | SDG <sup>1</sup>  | Description <sup>3</sup>   | Value |
|---|---|--|-------|
| <b>LEARN</b>  |   |  |       |
| LN.11a<br>LN.11b<br>LN.11c<br>LN.11d  | Education Parity Indices<br>a) Gender<br>b) Wealth<br>c) Area<br>d) Functioning | Net attendance ratio (adjusted) for girls divided by net attendance ratio (adjusted) for boys                                |       |
|   |   | (a) organised learning (one year younger than the official primary school entry age)   | 1.01  |
|   |   | (b) primary school   | 1.00  |
|   |   | (c) lower secondary school   | 1.08  |
|   |   | (d) upper secondary school   | 1.33  |
|   |   | Net attendance ratio (adjusted) for the poorest quintile divided by net attendance ratio (adjusted) for the richest quintile |       |
|   |   | (a) organised learning (one year younger than the official primary school entry age)   | 0.95  |
|   |   | (b) primary school   | 0.98  |
|   |   | (c) lower secondary school   | 0.89  |
|   |   | (d) upper secondary school   | 0.65  |
|   |   | Net attendance ratio (adjusted) for rural residents divided by net attendance ratio (adjusted) for urban residents           |       |
|   |   | (a) organised learning (one year younger than the official primary school entry age)   | 1.02  |
|   |   | (b) primary school   | 0.98  |
|   |   | (c) lower secondary school   | 0.95  |
|   |   | (d) upper secondary school   | 0.93  |
|   |   | Foundational learning skills for girls divided by foundational learning skills for boys                                      |       |
|   |   | (e) reading age 7-14 years   | 1.06  |
|   |   | (f) numeracy age 7-14 years  | 1.05  |
|   |   | Foundational learning skills for the poorest quintile divided by foundational learning skills for the richest quintile       |       |
|   |   | (e) reading age 7-14 years   | 0.85  |
|   |   | (f) numeracy age 7-14 years  | 0.81  |
|   |   | Foundational learning skills for rural residents divided by foundational learning skills for urban residents                 |       |
|   |   | (e) reading age 7-14 years   | 0.84  |
|   |   | (f) numeracy age 7-14 years  | 0.81  |
| Foundational learning skills for children with functional difficulties divided by foundational learning skills for children without functional difficulties |   |  |       |
| (e) reading age 7-14 years  | 1.00  |  |       |
| (f) numeracy age 7-14 years   | 1.24  |  |       |

## Learn : Parental involvement and functional reading and number skills

| MICS INDICATOR   |  | SDG <sup>1</sup> | Description <sup>3</sup>   | Value |
|--|--|------------------|--|-------|
| <b>LEARN</b>   |  |                  |  |       |
| LN.12  | Availability of information on children's school performance |                  | Percentage of children age 7-14 years attending schools who provided student report cards to parents   | 96.1  |
| LN.13  | Opportunity to participate in school management              |                  | Percentage of children age 7-14 years attending schools whose school governing body is open to parental participation, as reported by respondents  | 86.4  |
| LN.14  | Participation in school management                           |                  | Percentage of children age 7-14 years attending school for whom an adult household member participated in school governing body meetings   | 83.4  |
| LN.15  | Effective participation in school management                 |                  | Percentage of children age 7-14 years attending school for whom an adult household member attended a school governing body meeting in which key education/financial issues were discussed                                    | 76.5  |
| LN.16  | Discussion with teachers regarding children's progress       |                  | Percentage of children age 7-14 years attending school for whom an adult household member discussed child's progress with teachers   | 95.9  |
| LN.17  | Contact with school concerning teacher strike or absence     |                  | Percentage of children age 7-14 years attending school who could not attend class due to teacher strike or absence and for whom an adult household member contacted school representatives when child could not attend class | 40.1  |
| LN.18  | Availability of books at home                                |                  | Percentage of children age 7-14 years who have three or more books to read at home   | 45.9  |
| LN.19  | Reading habit at home  |                  | Percentage of children age 7-14 years who read books or are read to at home  | 78.2  |
| LN.20  | School and home languages                                    |                  | Percentage of children age 7-14 years attending school whose home language is used at school   | 79.4  |
| LN.21  | Support with homework  |                  | Percentage of children age 7-14 years attending school who have homework and received help with homework   | 93.8  |
| LN.22a<br>LN.22b<br>LN.22c<br>LN.22d<br>LN.22e<br>LN.22f | Children with foundational reading and number skills         | 4.1.1            | Percentage of children who successfully completed three foundational reading tasks   |       |
|  |  |                  | Age 7-14   | 62.9  |
|  |  |                  | Age for grade 2/3  | 60.6  |
|  |  |                  | Attending grade 2/3  | 46.9  |
|  |  |                  | Percentage of children who successfully completed four foundational number tasks   |       |
|  |  |                  | Age 7-14   | 52.4  |
|  | Age for grade 2/3  | 40.3             |  |       |
|  | Attending grade 2/3  | 25.4             |  |       |

## Child discipline, labor, marriage and development

| MICS INDICATOR                                  |                                     | SDG <sup>1</sup>                  | Description <sup>3</sup>  | Value   |
|---|-------------------------------------|-----------------------------------|---|---|
| <b>PROTECTED FROM VIOLENCE AND EXPLOITATION</b> |                                     |                                   |   |   |
| PR.1  | Birth registration                  | 16.9.1                            | Percentage of children under age 5 whose births are reported registered with a civil authority  | 97.7  |
| PR.2  | Violent discipline                  | 16.2.1                            | Percentage of children age 1-14 years who experienced any physical punishment and/or psychological aggression by caregivers in the past one month   | 86.6  |
| PR.3  | Child labour                        | 8.7.1                             | Percentage of children age 5-17 years who are involved in child labour <sup>18</sup>  | 26.1  |
| PR.4a<br>PR.4b                                  | Child marriage                      | 5.3.1                             | Percentage of women and men age 20-24 years who were first married or in union<br>Women<br>(a) before age 15<br>(b) before age 18<br>Men<br>(a) before age 15<br>(b) before age 18  | 0.4<br>10.1<br>0.0<br>2.8   |
| PR.5  |                                     |                                   | Young people age 15-19 years currently married or in union  | Percentage of women and men age 15-19 years who are married or in union<br>Women<br>Men |
| PR.6  | Polygyny                            |                                   | Percentage of women and men age 15-49 years who are in a polygynous union<br>Women<br>Men   | 6.6<br>3.6  |
| PR.7a<br>PR.7b                                  | Spousal age difference              |                                   | Percentage of women who are married or in union and whose spouse is 10 or more years older,<br>(a) among women age 15-19 years,<br>(b) among women age 20-24 years  | 11.8<br>8.5   |
| PR.12   |                                     | Experience of robbery and assault | Percentage of women and men age 15-49 years who experienced physical violence of robbery or assault within the last 12 months<br>Women<br>Men   | 1.7<br>3.3  |
| PR.13   | Crime reporting                     | 16.3.1                            | Percentage of women and men age 15-49 years experiencing physical violence of robbery and/or assault in the last 12 months and reporting the last incidences of robbery and/or assault experienced to the police<br>Women<br>Men  | 35.8<br>14.6  |
| PR.14   | Safety                              | 16.1.4                            | Percentage of women and men age 15-49 years feeling safe walking alone in their neighbourhood after dark<br>Women<br>Men  | 84.4<br>98.3  |
| PR.15   | Attitudes towards domestic violence |                                   | Percentage of women and men age 15-49 years who state that a husband is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food<br>Women<br>Men | 38.1<br>18.2  |

[18] Child labourers are defined as children involved in economic activities or in household chores above the age-specific thresholds. While the concept of child labour includes exposure to hazardous working conditions, and this is collected in MICS and was previously included in the reported indicator, the present definition, which is also used for SDG reporting, does not include children who are working under hazardous conditions. See Tables PR.3.1-4 for more detailed information on thresholds and classifications.

## Domestic violence

| MICS INDICATOR           |   | SDG <sup>1</sup> | Description <sup>3</sup>   | Value  |
|--------------------------|---|------------------|--|--|
| <b>DOMESTIC VIOLENCE</b> |   |                  |  |  |
| DV.1                     | Physical violence by intimate partner                   |                  | Percentage of women age 15-49 years who have experienced any physical violence (committed by a husband or anyone else) since age 15 and in the past 12 months<br>a) ever in their lifetime<br>b) in the past 12 months   | 37.0<br>10.0   |
| DV.2                     | Physical violence by non-partner                        |                  | Percentage of women age 15-49 years who have experienced any physical violence (committed by a non-partner) since age 15 and in the past 12 months<br>a) ever in their lifetime<br>b) in the past 12 months  | 28.2<br>14.5   |
| DV.3                     | Persons committing physical violence by any perpetrator |                  | Percent distribution of women age 15-49 who have experienced physical violence since age 15, who report specific persons who committed the violence  | 86.6   |
| DV.4                     | Persons committing physical violence by non-partner     |                  | Percentage of women age 15-49 who have experienced physical violence by non-partner since age 15, percentage who report specific persons who committed the violence<br>a) Mother/step-mother<br>b) Father/step-father<br>c) Sister/brother<br>d) Daughter/son<br>e) Other relative<br>f) Father-in-law<br>g) Other in-law<br>h) Police/soldier<br>i) Other | 17.8<br>5.3<br>4.2<br>1.1<br>74.4<br>4.6<br>16.8<br>0.9<br>1.5 |
| DV.5                     | Sexual violence by any perpetrator                      | 5.2.2            | Percentage of women age 15-49 years who have experienced any sexual violence (committed by any perpetrator)<br>a) ever in their lifetime<br>b) in the past 12 months   | 5.6<br>2.1   |
| DV.6                     | Sexual violence by non-partner                          |                  | Percentage of women age 15-49 years who have experienced any sexual violence (committed by non-partner)<br>a) ever in their lifetime<br>b) in the past 12 months   | 1.7<br>0.7   |
| DV.7                     | Persons committing sexual violence                      |                  | Percentage of women age 15-49 years who report specific persons who committed the sexual violence<br>a) Current husband/partner<br>b) Former husband/partner   | 4.2<br>13.6  |
| DV.8                     | Age at first experience of sexual violence              |                  | Percentage of women age 15-49 years who experienced sexual violence by specific exact ages<br>a) 10<br>b) 12<br>c) 15<br>d) 18<br>e) 22  | 0.1<br>0.0<br>0.0<br>0.1<br>0.8                                |

## Domestic violence

| MICS INDICATOR           | SDG <sup>1</sup> | Description <sup>3</sup>   | Value                                       |
|--------------------------|------------------|--|---|
| <b>DOMESTIC VIOLENCE</b> |                  |  |   |
| DV.9                     |                  | Experience of violence during pregnancy<br>Percentage of women age 15-49 years who had ever experienced physical violence during pregnancy   | 5.0   |
| DV.10                    |                  | Violent behaviour demonstrated by intimate partner<br>Percentage of women age 15-49 years whose current husband/partner (if currently married) or most recent husband/partner (if formerly married) demonstrates at least one of the following controlling behaviours:<br>a) is jealous or angry if she talks to other men;<br>b) frequently accuses her of being unfaithful;<br>c) does not permit her to meet her female friends;<br>d) tries to limit her contact with her families<br>e) insists on knowing where she goes at all times<br>f) Does/did not allow her to join any social functions? | 40.8<br>24.9<br>19.2<br>6.5<br>52.3<br>23.6 |
| DV.11                    | 5.2.1            | All forms of domestic violence<br>Percentage of women age 15-49 years who have experienced any of the specified acts of physical, sexual, or emotional violence committed by their current husband/ partner (if currently married) or most recent husband/partner (if formerly married),<br>a) ever in their lifetime<br>b) in the past 12 months  | 28.3<br>20.5                                |
| DV.12                    |                  | Violence by women against their spouse<br>Percentage of women age 15-49 years who have ever hit, slapped, kicked, or done anything else to physically hurt their current (if currently married) or most recent (if formerly married) husband at times when he was not already beating or physically hurting her<br>a) ever in their lifetime<br>b) in the past 12 months   | 9.2<br>5.2                                  |
| DV.13                    |                  | Help seeking to stop violence<br>Percentage of women age 15-49 years who have experienced physical or sexual violence who sought help  | 19.0  |

## Water, sanitation and hygiene (WASH)

| MICS INDICATOR                              |   | SDG <sup>1</sup> | Description <sup>3</sup>   | Value |
|---|---|------------------|--|-------|
| <b>LIVE IN A SAFE AND CLEAN ENVIRONMENT</b> |   |                  |  |       |
| WS.1  | Use of improved drinking water sources                              |                  | Percentage of household members using improved sources of drinking water   | 99.2  |
| WS.2  | Use of basic drinking water services                                | 1.4.1            | Percentage of household members using improved sources of drinking water either in their dwelling/yard/plot or within 30 minutes round trip collection time                  | 99.0  |
| WS.3  | Availability of drinking water                                      |                  | Percentage of household members with a water source that is available when needed  | 91.1  |
| WS.4  | Faecal contamination of source water                                |                  | Percentage of household members whose source water was tested and with <i>E. coli</i> contamination in source water  | 70.1  |
| WS.5  | Faecal contamination of household drinking water                    |                  | Percentage of household members whose household drinking water was tested and with <i>E. coli</i> contamination in household drinking water                                  | 78.1  |
| WS.6  | Use of safely managed drinking water services                       | 6.1.1            | Percentage of household members with an improved drinking water source on premises, whose source water was tested and free of <i>E. coli</i> and available when needed       | 26.0  |
| WS.7  | Handwashing facility with water and soap                            | 1.4.1 & 6.2.1    | Percentage of household members with a handwashing facility where water and soap or detergent are present  | 77.8  |
| WS.8  | Use of improved sanitation facilities                               | 3.8.1            | Percentage of household members using improved sanitation facilities   | 97.7  |
| WS.9  | Use of basic sanitation services                                    | 1.4.1 & 6.2.1    | Percentage of household members using improved sanitation facilities which are not shared  | 91.8  |
| WS.10                                       | Safe disposal in situ of excreta from on-site sanitation facilities | 6.2.1            | Percentage of household members with an improved sanitation facility that does not flush to a sewer and with waste never emptied or emptied and buried in a covered pit      | 63.8  |
| WS.11                                       | Removal of excreta for treatment off-site                           | 6.2.1            | Percentage of household members with an improved sanitation facility that does not flush to a sewer and with waste removed by a service provider for treatment off-site      | 33.4  |
| WS.12                                       | Menstrual hygiene management  |                  | Percentage of women age 15-49 years reporting menstruating in the last 12 months and using menstrual hygiene materials with a private place to wash and change while at home | 89.3  |
| WS.13                                       | Exclusion from activities during menstruation                       |                  | Percentage of women age 15-49 years reporting menstruating in the last 12 months who did not participate in social activities, school or work due to their last menstruation | 15.6  |

## Economic support, health insurance coverage

| MICS INDICATOR                  | SDG <sup>1</sup> | Description <sup>3</sup>  | Value                        |
|---------------------------------|------------------|---|------------------------------|
| <b>EQUITABLE CHANCE IN LIFE</b> |                  |   |                              |
| EQ.1                            |                  | Children with functional difficulty<br>Percentage of children age 2-17 years reported with functional difficulty in at least one domain   | 9.3                          |
| EQ.2a<br>EQ.2b<br>EQ.2c         |                  | Health insurance coverage<br>Percentage of women, men and children covered by health insurance<br>a) women age 15-49<br>b) men age 15-49<br>a) children age 5-17<br>b) children under age 5   | 82.3<br>78.2<br>80.0<br>84.7 |
| EQ.3                            | 1.3.1            | Population covered by social transfers<br>Percentage of household members living in households that received any type of social transfers and benefits in the last 3 months   | 35.9                         |
| EQ.4                            |                  | External economic support to the poorest households<br>Percentage of households in the two lowest wealth quintiles that received any type of social transfers in the last 3 months  | 32.1                         |
| EQ.5                            |                  | Children in the households that received any type of social transfers<br>Percentage of children under age 18 living in the households that received any type of social transfers in the last 3 months   | 36.2                         |
| EQ.6                            |                  | School-related support<br>Percentage of children and young people age 5-24 years currently attending school that received any type of school-related support in the current/most recent academic year   | 12.0                         |
| EQ.7                            | 10.3.1 & 16.b.1  | Discrimination<br>Percentage of women and men age 15-49 years having personally felt discriminated against or harassed within the previous 12 months on the basis of a ground of discrimination prohibited under international human rights law<br>Women<br>Men | 24.3<br>18.4                 |
| EQ.9a<br>EQ.9b                  |                  | Overall life satisfaction index<br>Average life satisfaction score for women and men <sup>19</sup><br>Women<br>(a) age 15-24<br>(b) age 15-49<br>Men<br>(a) age 15-24<br>(b) age 15-49  | 8.6<br>8.6<br>8.3<br>8.3     |
| EQ.10a<br>EQ.10b                |                  | Happiness<br>Percentage of women and men who are very or somewhat happy<br>Women<br>(a) age 15-24<br>(b) age 15-49<br>Men<br>(a) age 15-24<br>(b) age 15-49   | 93.5<br>93.1<br>97.5<br>96.4 |
| EQ.11a<br>EQ.11b                |                  | Perception of a better life<br>Percentage of women and men whose life improved during the last one year and who expect that their life will be better after one year<br>Women<br>(a) age 15-24<br>(b) age 15-49<br>Men<br>(a) age 15-24<br>(b) age 15-49        | 76.4<br>77.9<br>68.7<br>69.4 |

[19] Overall life satisfaction index records values from 1 up to 10.